

SNR 0540-69.3

1 Summary

- Common Name: 0540-69.3
- Distance: 50 kpc (distance to LMC, **Westerlund(1990)**)
- Position of Central Source (J2000): (05 19 34.9, -69 02 07.3)
- X-ray size: 72" x65"
- Description: Irregular shell with central pulsar and nebula

1.1 Summary of Chandra Observations

Sequence	Obs ID	Instrument	Exposure _{uf} (ks)	Exposure _f (ks)	Date Observed	Aimpoint (J2000) (α , δ)
500006	119	ACIS-S6789	30.5	27.6	1999-11-22	(05 40 11.0, -69 20 00.0)

Exposure_{uf} → Exposure time of un-filtered event file
 Exposure_f → Exposure time of filtered event file

- The whole remnant is covered by chip ACIS-S3(CCD_ID=7)
- central source shows **Pile Up**.
- **Trailed Image** of the central source is significant.

1.2 Chandra Counts and Fluxes

Region	Energy Range (keV)	Signal (counts)	Rate (counts s ⁻¹)	F _X ^{abs} (ergs cm ⁻² s ⁻¹)	F _X (ergs cm ⁻² s ⁻¹)	L _X (ergs s ⁻¹)
total (119)	0.3 - 10.0 0.3 - 2.1 2.1 - 10.	4.089e+04 3.043e+04 1.054e+04	1.479e+00 1.101e+00 3.813e-01	1.24e-11 3.31e-12 9.06e-12	2.55e-11 1.61e-11 9.39e-12	7.58e+36 4.79e+36 2.80e+36
central source (119)	0.3 - 10.0 0.3 - 2.1 2.1 - 10.	2.492e+04 1.592e+04 9.070e+03	9.016e-01 5.759e-01 3.281e-01	1.00e-11 2.02e-12 8.02e-12	1.42e-11 5.95e-12 8.30e-12	4.24e+36 1.77e+36 2.47e+36
shell (119)	0.3 - 10.0 0.3 - 2.1 2.1 - 10.	1.434e+04 1.316e+04 1.204e+03	5.188e-01 4.762e-01 4.357e-02	2.34e-12 1.29e-12 1.05e-12	1.12e-11 1.01e-11 1.09e-12	3.35e+36 3.02e+36 3.24e+35

- NH = 0.46 (10²² cm⁻²)
- Assumed distance: 50 kpc (distance to LMC, **Westerlund(1990)**)
- nH was derived by fitting the trail of central source which is believed not to be piled-up.

1.3 Nearby Sources

Obs ID	Position (J2000)	Size	Net Count	Count rate	Note
119	(05 39 13.6, -69 22 11.4)	< 7.9"	177.0	5.80e-03	
	(05 39 33.2, -69 19 41.8)	< 3.8"	76.0	2.49e-03	
	(05 39 42.8, -69 19 43.3)	< 3.1"	55.0	1.80e-03	
	(05 39 53.2, -69 19 14.7)	< 2.4"	31.0	1.02e-03	
	(05 40 00.6, -69 19 19.0)	< 3.9"	39.0	1.28e-03	
	(05 40 08.2, -69 17 12.6)	< 4.3"	263.0	8.62e-03	
	(05 40 13.2, -69 22 46.9)	< 2.2"	85.0	2.79e-03	
	(05 40 13.6, -69 22 57.5)	< 2.0"	18.0	5.90e-04	
	(05 40 45.3, -69 14 51.5)	< 4.6"	39.0	1.28e-03	
	(05 41 21.0, -69 18 50.5)	< 4.5"	31.0	1.02e-03	
	(05 41 34.7, -69 19 36.9)	< 5.8"	92.0	3.02e-03	

(note) 1. This nearby source list is incomplete.

All the above sources are originally from the "src2.fits" file which is distributed with standard chandra processing.

Only sources with significant count rate and which are clear to visual inspection are included.

2. The size given above is the size of the region used in detecting that source.
3. For each source, background was subtracted from annular region around the source.

1.4 References

- Gothelf and Wang, 2000 *Apl*, 532L, 117 : Chandra HRC
- Hwang et al., 2001 *Apl*, 560, 742 : Chandra ACIS imaging and spectroscopy
- Manchester et al., 1993 *Apl*, 411, 756 : ATCA 5 GHz and 1.5 GHz radio observation
- Westerlund, 1990 *A&ARv*, 2, 29 : Distance to LMC

2 Fit Detail


- See spectrum page for used regions.

nH was derived by fitting the trail of central source which is believed not to be piled-up.

2.1 trail:

- nH was derived from the **trail of the central source**.


```
source=(xswabs * powlaw1d)
reduced  $\chi^2$  = 0.837752
nh = 0.4591 1.022/cm2
```



2.2 central source:

- while spectrum from the **central source** is strongly affected by pile-up, derived nH is similar.


```
source=(xswabs * powlaw1d)
reduced  $\chi^2$  = 1.99201
nh = 0.4737 1.022/cm2
```



2.3 central source(2):

- spectrum was refitted with nH fixed at the value derived from the trail of central source.


```
source=(xswabs * powlaw1d)
reduced  $\chi^2$  = 1.99539
nh = 0.4591 1.022/cm2
```



2.4 shell:

- **shell** was fitted by 3 thermal plasma model with nH fixed.


```
source=(xswabs * ((xraymond + xraymond) + xraymond))
reduced  $\chi^2$  = 2.6843
nh = 0.4591 1.022/cm2
```



2.5 total:

- sum of the spectral models from central source and shell.
- no further fitting was done.
- **Hwang et al.(2001)** derived nH=0.2-0.5 for various part of the shell(dimension of the nH in their table seems to be a typo(10²² instead of 10²¹)).

```
source=(xswabs * (((powlaw1d + xraymond) + xraymond) + xraymond))
reduced  $\chi^2$  = 2.54079
nh = 0.4591 1.022/cm2
```




3 Chandra Images : Band Images


- Left : raw images, binned by 1x1 pixel
- Right : gaussian smoothed version of above ($\sigma = 2$ pixel)

3.1 Wide Band Images


Total : 300-10000 eV




Soft Band : 300-2100 eV





Hard Band : 2100-10000 eV



3.2 Band images used in true color image.






Green : 800-2100 eV





3.3 Misc.




: 500-700 eV



Blue : 2100-4000 eV




: 700-1100 eV



4 Chandra Images : True Color

- Individual images are adaptively smoothed.
- Warning : the adaptive smoothing process sometimes produces artifacts.
- convolution method : fft
- kernel type : gauss
- significance (min , max) : (3 , 5)

RED : 300-800 eV
 GREEN : 800-2100 eV
 BLUE : 2100-4000 eV




5 Chandra Spectrum

- Images show Regions used to extract spectra
- Regions with red strikes are excluded


5.1 ObsID 119

- Background was subtracted from the region around the SNR.












total




shell



central source



trail of the central source




6 Radio Image

- left : radio image
- right : chandra x-ray image with radio contour lines

6-cm

- 6-cm flux density: 520 mJy (whole source), 59 mJy (central source)
- Image from [Manchester et al.\(1993\)](#)




Summary of Observation

Telescope	Australia Telescope Compact Array
Date	1990 May 6, May 19 June 3, August 19
Frequency	time-shared between 4.786 and 5.814 GHz
Beam size	2.7" x 2.7"
1 sigma noise	..	0.2 mJy / beam


7 Images from Survey Missions

- Left : Chandra Image (0.3-10. keV)
- Center : Images from *SkyView* with the same scale
- right : Images from *SkyView* with a reduced scale


ROSAT PSPC (1.0 deg): X-ray (0.1-2.4 keV)




IRAS 12 micron: Infrared (12 micron)




IRAS 25 micron: Infrared (25 micron)




IRAS 60 micron: Infrared (60 micron)




IRAS 100 micron: Infrared (100 micron)




4850 MHz: Radio (4850 MHz continuum)




Digitized Sky Survey: Optical (J or E band images with a few exceptions)



The Two Micron All Sky Survey (J-band): IR (1.25 microns)



The Two Micron All Sky Survey (H-band): IR (1.65 microns)



The Two Micron All Sky Survey (K-band): IR (2.17 microns)

